



## **SAFETY DATA SHEET**

### **SAFE SURFACE – 500ml AEROSOL**

#### **SECTION 1; IDENTIFICATION OF THE SUBSTANCES/MIXTURE AND OF THE COMPANY/UNDERTAKING**

##### **1.1. Product identifier**

Product name                      SAFE SURFACE 500

##### **1.2. Relevant identified uses of the substances or mixture and uses advised against**

Identified uses                      Spray surface sanitiser

##### **1.3. Details of the supplier of the data sheet**

Supplier                              Surface Spray Ltd  
2 Silkwood Office Park  
Fryers Way  
Wakefield  
West Yorkshire  
WF5 9TJ

##### **1.4. Emergency telephone number**

+44 (0) 300 370 3333  
Mon – Thurs 0730-1730: Fri 0730-1400

#### **SECTION 2; HAZARDS IDENTIFICATION**

##### **2.1 Classification of the substance or mixture**

Classification (EC 1272/2008)

Physical and chemical hazards	Extremely Flam. Aerosol - H222
Environment	Aquatic Chronic 2 – H411

The full text for all Hazard statements are displayed in Section 16.

##### **2.2 Label Elements**

Label in Accordance with (EC) No. 1272/2008



**Signal word**

**Danger**

**Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated
H411	Toxic to aquatic life with long lasting effects

**Precautionary Statements**

P102	Keep out of reach of children
P210	Keep away from heat/sparks/open flames/hot surfaces – No Smoking.
P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P501	Dispose of contents/container in accordance with Local Regulations

**Supplementary precautionary statements**

P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.
P410+412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Supplement label information****2.3. Other hazards**

This product does not meet the criteria for PBT or vPvB in accordance with Annex XIII.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures**

DIMETHYLETHER			60-90%
CAS-No.: 115-10-6	EC No.: 204-065-8	REACH Reg:01-2119472128-37	
Classification (EC 1272/2008)			
Flam Gas 1 – H220			

ALKYLDIMETHYLBENZYLAMMONIUMCHLORIDE			<1%
CAS-No.: 68424-85-1	EC No.:270-325-2	REACH Reg: Not available	
Skin Corr 1B – H314			
Acute Tox 4 – H302			
Acute Tox 4 – H312			
Aquatic Acute 1 – H400			
Aquatic Chronic 1 – H410			

The full text for all hazard statements are displayed in Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General information**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**Inhalation**

No known effects or symptoms in normal use.

**Ingestion**

No known effects or symptoms in normal use.

**Skin contact**

No known effects or symptoms in normal use.

**Eye Contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling section 2.2, and/or in section 11.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media****Extinguishing media**

Fire can be extinguished using: foam; carbon dioxide; dry powder. Do not use water jet as an extinguisher – this may cause the fire to spread.

**5.2 Special hazards arising from the substance or mixture****Unusual fire & Explosion hazards**

Aerosols/+Canisters may explode in fire.

Toxic gases/vapours/fumes of: Carbon Dioxide (CO<sub>2</sub>). Carbon Monoxide (CO)

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

No Special measures required.

**6.2 Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environment Agency or other regulatory body. Do not discharge into drains or watercourses or onto the ground.

**6.3 Methods and material for containment and cleaning up**

Absorb with liquid binding materials such as sand, diatomite, universal binders, sawdust etc)

**6.4 Reference to other sections**

Wear protective clothing as described in section 8 of this safety data sheet. For waste disposal see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

**7.2. Conditions for safe storage, including any incompatibilities**

Must not be exposed to direct sunlight or temperatures above 50°C.

**7.3 Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Name	STD	TWA – 8 Hrs		STEL – 15 Min		Notes
DIMETHYLETHER	TRGS 900	400 ppm	766 mg/m <sup>3</sup>	500 ppm	958 mg/m <sup>3</sup>	

WEL = Workplace exposure limit.

**Derived No Effect Level (DNEL)****ALKYLDIMETHYLBENZYLAMMONIUMCHLORIDE**

DNEL	Consumer – Oral; Long term systematic effects: 3.4 mg/kg bw/day
	Consumer – Dermal; Long term systematic effects: 3.4 mg/kg bw/day
	Workers – Dermal; Long term systematic effects: 5.7mg/kg bw/day
	Workers - Inhalation; Short term systematic effects: 3.96 mg/m <sup>3</sup>
	Consumer – Inhalation; Long term local effects: 1.64 mg/m <sup>3</sup>
PNEC	Surface water fresh; 0.0009 mg/l
	Surface water marine; 0.00009 mg/l
	Sediment (Freshwater); 0.267 mg/kg
	Sediment (Marine); 0.0267 mg/kg

**8.2 Exposure controls****Protective equipment****Appropriate engineering controls**

Observe any occupational exposure limits for the product or ingredients. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

**Eye/face protection**

Safety glasses are not normally used. However, for prolonged use where splashes might occur, use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).

**Hand protection**

Rinse and dry hands after use. For prolonged contact, use gloves approved to relevant standards (e.g. EN374).

**Other skin and body protection**

No special requirements under normal use conditions

**Respiratory protection**

No special requirements under normal use conditions, however inhalation of vapour/spray should be avoided.

**Hygiene measures**

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

(a) Appearance	Canister/Aerosol.
(b) Odour	Characteristic
(c) Odour Threshold	No data available
(d) pH	No data available
(e) Melting point/freezing point	No data available
(f) Initial boiling point and boiling range	No data available
(g) Flash point	Estimated at -20°C
(h) Evaporation point	No data available
(i) Flammability (solid gas)	No data available
(j) Upper/lower flammability Or explosive limits	No data available
(k) Vapour pressure	No data available
(l) Vapour density	No data available
(m) Relative density	No data available
(n) Water solubility	No data available
(o) Partition coefficient n-octanol/water	No data available
(p) Auto-ignition temperature	No data available
(q) Decomposition temperature	No data available
(r) Viscosity	No data available
(s) Explosive properties	No data available
(t) Oxidising properties	No data available.

**9.2. Other information**

No data available.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Avoid heat, sparks, and flames, stable under normal conditions.

**10.3 Possibility of hazardous reactions**

None known under normal storage and use conditions.

**10.4 Conditions to avoid**

Avoid heat, flames and other sources or ignition. Avoid contact with: Strong oxidising agents, Strong alkalis and Strong mineral acids.

**10.5 Incompatible materials**

Materials to avoid

Strong acids, strong oxidising substances and strong alkalis.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute Toxicity****Dimethylether:**

Alkyldimethylbenzylammoniumchlorate

LD50/rat – 398 mg/kg

**Skin contact**

Dimethylether:

Not classified

Alkyldimethylbenzylammoniumchlorate

LD50/rat – 800-1420 mg/kg

**Eye contact**

Dimethylether:

Not classified

**Inhalation**

Dimethylether:

Not classified

**Carcinogenicity**

Dimethylether:

Not classified

Alkyldimethylbenzylammoniumchlorate

No evidence – ECD 471 (EU B.12/13)

**Additional Information**

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

Dimethylether:

Fish LC50/96 h/Poecilia reticulata (guppy) >4000mg/l

Aquatic invertebrates EC50/48 h/Daphnia >4000 mg/l

Algae No data available

Alkyldimethylbenzylammoniumchlorate

Fish LC50/96 h/ >0.1-1mg/l

Aquatic invertebrates EC50/48 h/Daphnia >0.02 mg/l

Algae EC50/96 h/Pseudokirchneriella subcapitata >0.06 mg/l

OECD 201 (EU C.3)

**12.2 Persistence and degradability**

No data available

**12.3 Bio accumulative potential**

Partition coefficient not available – no bioaccumulation expected

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB Assessment**

Contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB)

**12.6 Other adverse effects**

No data available

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

**SECTION 14: TRANSPORT INFORMATION****14.1 UN Number**

UN No. (ADR/RID/ADN)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950

**14.2 UN proper shipping name**

Liquefied gas flammable N.O.S

**14.3 Transport hazard class(es)**

ADR/RID/ADN class	2.1
ADR/RID/ADN class	Class 2: Gases
ADR Label No	2.1 & 6.1
IMDG Class	2.1
ICAO Class/division	2.1
ICAO Subsidiary risk	6.1
CEFIC TEC® No	20GSF
Air Class	2.1
UK Road Class	2.1
Transport labels	L.Q.

**14.4 Packing group**

Not applicable.

**14.5 Environmental hazards**

Environmentally hazardous substance/marine pollutant.

**14.6 Special precautions for user**

EMS	F-D, S-U
Tunnel restriction code	(D)

**14.7 transport in bulk according to Annex II of MARPOL73/78 and the IBC code.****SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Labelling according to Regulation (EC) No 1272/2008

The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health.

Approved code of practice.

Guidance notes

Workplace exposure limits EH40.

**15.1.1 EU-Regulations**

Contains no REACH Annex XIV substances.

**15.1.2 National Regulations**

No additional information available.

**SECTION 16: OTHER INFORMATION****General information**

This product should be used as directed. For further information consult the product data sheet or contact technical services.

**Information sources**

This safety data sheet was compiled using current safety information supplied by distributor raw materials.

**Revision comments**

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Surface Spray Ltd.

**Hazard statements in full**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol
H302	Harmful if swallowed
H312:	Harmful in contact with skin
H314:	Causes severe skin burns and eye damage
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

**Abbreviations**

Skin Corr 1B	Skin corrosion category 1B
Flam Gas 1	Flammable gas category 1
Acute Tox 4	Acute toxicity category 4
Aquat Acute 1	acute aquatic toxicity category 1
Aquat Chron 1	Chronic aquatic toxicity category 1
Aquat Chron 2	Chronic aquatic toxicity category 2
LD50	Lethal Dose 50%
LC50	Lethal Concentration 50%
IARC	International Agency for Research on Cancer
OECD	Organisation for Economic and Co-operative Development
PBT	Persistent Bioaccumulative Toxicity
vPvB	Very Persistent Very Bioaccumulative
MDG	International Maritime Transport of Dangerous Goods
ICAO	International Civil Aviation Organisation

**ISSUE: REV 4.2**  
**DATE: JUNE 2020**

**DISCLAIMER**

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of Surface Spray Ltd is stated or implied. No employee of Surface Spray Ltd has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions